

I claim:

1. A storage device comprising:

a box assembly having a front wall, rear wall, side pair of side walls, a bottom wall and a top wall for a substantially box configuration;

an interior area is formed from said front wall, said rear wall, said pair of side walls, said bottom wall and said rear wall;

an access is located in said front wall or said rear wall for accessing said interior area; and

a flange having an attaching element therein extends along each of said side wall in proximity to said bottom wall.

2. A storage device as in claim 1 wherein said front wall is angularly secured to said top wall and said bottom wall.

3. A storage device as in claim 1 wherein said access includes a locking feature for locking said access.

4. A storage device as in claim 1 wherein at least one storage compartment having an interior area is secured to said upper wall or said lower wall and said at least one compartment has an access device for accessing said interior area.

5. A storage device as in claim 4 wherein said at least one storage compartment is removably secured to said box assembly.
6. A storage device as in claim 1 wherein at least one storage compartment having an interior area is secured to at least one side wall and said at least one compartment has an access device for accessing said interior area.
7. A storage device as in claim 6 wherein said at least one storage compartment is removably secured to said box assembly.
8. A storage device comprising:
- a box assembly having a front wall, rear wall, side pair of side walls, a bottom wall and a top wall for a substantially box configuration;
 - an interior area is formed from said front wall, said rear wall, said pair of side walls, said bottom wall and said rear wall;
 - an access is located in said front wall or said rear wall for accessing said interior area; and
 - said front wall is angularly secured to said top wall and said bottom wall.
9. A storage device as in claim 8 wherein said access includes a locking feature for locking said access.

10. A storage device as in claim 8 wherein at least one storage compartment having an interior area is secured to said upper wall, said lower wall or said side wall and said at least one compartment has an access device for accessing said interior area.
11. A storage device as in claim 10 wherein said at least one storage compartment is removably secured to said box assembly.
12. A storage device as in claim 8 wherein a flange having an attaching element therein extends along each of said side wall in proximity to said bottom wall and said attaching element comprises a plurality of holes extending through said flange and a plurality of securing device for inserting at least one of said plurality of holes for securement.
13. A storage device as in claim 8 wherein each side wall includes at least one storage compartments each having an interior area and each has an access device for accessing said interior area, a flange having an attaching element therein extends along a single side of each compartment for providing for said flange to be exteriorly located with respect to said box assembly, an attaching element extends through said flange.
14. A storage device as in claim as in claim 13 wherein a lock is located on each access device.